

# VICTOR STEEL STRAPS

## FOR TUBING AND CABLE (CONT'D)

| TUBING DIA. (O.D.) | VICTOR PART NUMBER | PRICE LIST PAGE | MOUNTING HOLE SIZE | MATERIAL THICKNESS | MATERIAL WIDTH | PIECES PER BOX | PIECES PER CARTON | LBS PER CARTON |
|--------------------|--------------------|-----------------|--------------------|--------------------|----------------|----------------|-------------------|----------------|
|--------------------|--------------------|-----------------|--------------------|--------------------|----------------|----------------|-------------------|----------------|

### TWO GANG STRAPS




|       |          |   |      |      |     |     |      |    |
|-------|----------|---|------|------|-----|-----|------|----|
| 1/4   | *12102-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 20 |
| 5/16  | *12202-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 23 |
| 3/8   | *12302-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 25 |
| 7/16  | 11304-S  | 2 | 9/32 | .062 | 5/8 | 100 | 1000 | 25 |
| 1/2   | 11305-S  | 2 | 9/32 | .062 | 5/8 | 100 | 1000 | 27 |
| 9/16  | 11306-S  | 2 | 9/32 | .062 | 5/8 | 100 | 1000 | 30 |
| 5/8   | 11308-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 16 |
| 11/16 | 11310-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 18 |
| 3/4   | 11312-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 21 |
| 13/16 | 11315-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 20 |
| 7/8   | 11320-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 21 |
| 15/16 | 11322-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 23 |
| 1     | 11325-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 25 |

### THREE GANG STRAPS



|       |          |   |      |      |     |     |      |    |
|-------|----------|---|------|------|-----|-----|------|----|
| 1/4   | *12103-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 22 |
| 5/16  | *12203-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 28 |
| 3/8   | *12303-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 29 |
| 7/16  | 11404-S  | 2 | 9/32 | .062 | 5/8 | 100 | 1000 | 31 |
| 1/2   | 11405-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 19 |
| 9/16  | 11406-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 21 |
| 5/8   | 11408-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 20 |
| 11/16 | 11410-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 22 |
| 3/4   | 11412-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 23 |
| 13/16 | 11415-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 23 |
| 7/8   | 11420-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 27 |
| 15/16 | 11422-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 28 |
| 1     | 11425-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 29 |

### FOUR GANG STRAPS



|       |          |   |      |      |     |     |      |    |
|-------|----------|---|------|------|-----|-----|------|----|
| 1/4   | *12104-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 25 |
| 5/16  | *12204-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 34 |
| 3/8   | *12304-S | 3 | 9/32 | .062 | 5/8 | 100 | 1000 | 36 |
| 7/16  | 11504-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 20 |
| 1/2   | 11505-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 21 |
| 9/16  | 11506-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 23 |
| 5/8   | 11508-S  | 2 | 9/32 | .062 | 5/8 | 100 | 500  | 24 |
| 11/16 | 11510-S  | 2 | 9/32 | .062 | 5/8 | 50  | 250  | 10 |
| 3/4   | 11512-S  | 2 | 9/32 | .062 | 5/8 | 50  | 250  | 11 |
| 13/16 | 11515-S  | 2 | 9/32 | .062 | 5/8 | 50  | 250  | 12 |
| 7/8   | 11520-S  | 2 | 9/32 | .062 | 5/8 | 50  | 250  | 15 |
| 15/16 | 11522-S  | 2 | 9/32 | .062 | 5/8 | 50  | 250  | 16 |
| 1     | 11525-S  | 2 | 9/32 | .062 | 5/8 | 50  | 250  | 16 |

\* NO BEND ON TOP SURFACE

# VICTOR STEEL GANG STRAPS


FOR MULTIPLE LINES OF TUBING OR WIRE

(GANG STRAP AND BACK PLATE 1/16" THICK X 5/8" WIDE)

| GANG STRAP      |                    |                 |                             |                |             | BACK PLATE         |                 |                |             |
|-----------------|--------------------|-----------------|-----------------------------|----------------|-------------|--------------------|-----------------|----------------|-------------|
| NUMBER OF LINES | VICTOR PART NUMBER | PRICE LIST PAGE | MOUNTING HOLE CTR. DISTANCE | PIECES PER BOX | LBS PER BOX | VICTOR PART NUMBER | PRICE LIST PAGE | PIECES PER BOX | LBS PER BOX |

## 1/4" TUBE DIA. WITH 9/32" DIA. MOUNTING HOLES

|    |         |   |       |     |     |         |   |     |     |
|----|---------|---|-------|-----|-----|---------|---|-----|-----|
| 1  | 12101-S | 3 | 1     | 100 | 1.7 | 12151-S | 3 | 100 | 1.6 |
| 2  | 12102-S | 3 | 1 1/4 | 100 | 2.0 | 12152-S | 3 | 100 | 1.8 |
| 3  | 12103-S | 3 | 1 1/2 | 100 | 2.2 | 12153-S | 3 | 100 | 2.3 |
| 4  | 12104-S | 3 | 1 3/4 | 100 | 2.5 | 12154-S | 3 | 100 | 2.8 |
| 5  | 12105-S | 3 | 2     | 100 | 2.7 | 12155-S | 3 | 100 | 3.0 |
| 6  | 12106-S | 3 | 2 1/4 | 100 | 3.5 | 12156-S | 3 | 100 | 3.1 |
| 7  | 12107-S | 3 | 2 1/2 | 100 | 3.5 | 12157-S | 3 | 100 | 3.1 |
| 8  | 12108-S | 3 | 2 3/4 | 100 | 3.6 | 12158-S | 3 | 100 | 3.5 |
| 9  | 12109-S | 3 | 3     | 100 | 4.0 | 12159-S | 3 | 100 | 3.6 |
| 10 | 12110-S | 3 | 3 1/4 | 100 | 4.3 | 12160-S | 3 | 100 | 4.0 |
| 11 | 12111-S | 3 | 3 1/2 | 100 | 4.5 | 12161-S | 3 | 100 | 4.2 |
| 12 | 12112-S | 3 | 3 3/4 | 100 | 4.7 | 12162-S | 3 | 100 | 4.7 |
| 13 | 12113-S | 3 | 4     | 100 | 5.0 | 12163-S | 3 | 100 | 4.8 |
| 14 | 12114-S | 3 | 4 1/4 | 100 | 5.1 | 12164-S | 3 | 100 | 5.3 |
| 15 | 12115-S | 3 | 4 1/2 | 100 | 5.2 | 12165-S | 3 | 100 | 5.4 |
| 16 | 12116-S | 3 | 4 3/4 | 100 | 5.6 | 12166-S | 3 | 100 | 6.0 |
| 17 | 12117-S | 3 | 5     | 100 | 5.9 | 12167-S | 3 | 100 | 6.2 |
| 18 | 12118-S | 3 | 5 1/4 | 100 | 6.1 | 12168-S | 3 | 100 | 6.4 |



## 1/4" TUBE DIA. WITH 7/32" DIA. MOUNTING HOLES

|    |         |   |       |     |     |         |   |     |     |
|----|---------|---|-------|-----|-----|---------|---|-----|-----|
| 1  | 13701-S | 3 | 1     | 100 | 1.6 | 13751-S | 3 | 100 | 1.6 |
| 2  | 13702-S | 3 | 1 1/4 | 100 | 1.8 | 13752-S | 3 | 100 | 1.8 |
| 3  | 13703-S | 3 | 1 1/2 | 100 | 2.2 | 13753-S | 3 | 100 | 2.0 |
| 4  | 13704-S | 3 | 1 3/4 | 100 | 2.5 | 13754-S | 3 | 100 | 2.2 |
| 5  | 13705-S | 3 | 2     | 100 | 2.7 | 13755-S | 3 | 100 | 2.5 |
| 6  | 13706-S | 3 | 2 1/4 | 100 | 3.0 | 13756-S | 3 | 100 | 2.8 |
| 7  | 13707-S | 3 | 2 1/2 | 100 | 3.3 | 13757-S | 3 | 100 | 3.0 |
| 8  | 13708-S | 3 | 2 3/4 | 100 | 3.6 | 13758-S | 3 | 100 | 3.4 |
| 9  | 13709-S | 3 | 3     | 100 | 3.9 | 13759-S | 3 | 100 | 3.7 |
| 10 | 13710-S | 3 | 3 1/4 | 100 | 4.1 | 13760-S | 3 | 100 | 3.9 |
| 11 | 13711-S | 3 | 3 1/2 | 100 | 4.4 | 13761-S | 3 | 100 | 4.0 |
| 12 | 13712-S | 3 | 3 3/4 | 100 | 4.7 | 13762-S | 3 | 100 | 4.4 |
| 13 | 13713-S | 3 | 4     | 100 | 5.0 | 13763-S | 3 | 100 | 4.8 |
| 14 | 13714-S | 3 | 4 1/4 | 100 | 5.1 | 13764-S | 3 | 100 | 4.9 |
| 15 | 13715-S | 3 | 4 1/2 | 100 | 5.2 | 13765-S | 3 | 100 | 5.1 |
| 16 | 13716-S | 3 | 4 3/4 | 100 | 5.6 | 13766-S | 3 | 100 | 5.4 |
| 17 | 13717-S | 3 | 5     | 100 | 5.6 | 13767-S | 3 | 100 | 5.7 |
| 18 | 13718-S | 3 | 5 1/4 | 100 | 6.2 | 13768-S | 3 | 100 | 5.9 |

## 3/8" TUBE DIA. WITH 9/32" DIA. MOUNTING HOLES


|   |         |   |       |     |     |         |   |     |     |
|---|---------|---|-------|-----|-----|---------|---|-----|-----|
| 2 | 12302-S | 3 | 1 1/2 | 100 | 2.5 | 12153-S | 3 | 100 | 2.3 |
| 3 | 12303-S | 3 | 1 7/8 | 100 | 2.9 | 12177-S | 3 | 100 | 2.4 |
| 4 | 12304-S | 3 | 2 1/4 | 100 | 3.0 | 12156-S | 3 | 100 | 3.1 |
| 5 | 12305-S | 3 | 2 5/8 | 100 | 3.5 | 12178-S | 3 | 100 | 3.1 |
| 6 | 12306-S | 3 | 3     | 100 | 4.0 | 12159-S | 3 | 100 | 3.6 |
| 7 | 12307-S | 3 | 3 3/8 | 100 | 4.5 | 12179-S | 3 | 100 | 4.1 |
| 8 | 12308-S | 3 | 3 3/4 | 100 | 4.8 | 12162-S | 3 | 100 | 4.7 |

## 1/2" TUBE DIA. WITH 9/32" DIA. MOUNTING HOLES

|   |         |   |       |     |     |         |   |     |     |
|---|---------|---|-------|-----|-----|---------|---|-----|-----|
| 2 | 12502-S | 3 | 1 3/4 | 100 | 2.8 | 12154-S | 3 | 100 | 2.8 |
| 3 | 12503-S | 3 | 2 1/4 | 100 | 3.4 | 12156-S | 3 | 100 | 3.1 |
| 4 | 12504-S | 3 | 2 3/4 | 100 | 3.8 | 12158-S | 3 | 100 | 3.5 |
| 5 | 12505-S | 3 | 3 1/4 | 100 | 4.4 | 12160-S | 3 | 100 | 4.0 |
| 6 | 12506-S | 3 | 3 3/4 | 100 | 5.2 | 12162-S | 3 | 100 | 4.7 |
| 7 | 12507-S | 3 | 4 1/4 | 100 | 5.4 | 12164-S | 3 | 100 | 5.3 |
| 8 | 12508-S | 3 | 4 3/4 | 100 | 6.0 | 12166-S | 3 | 100 | 6.0 |

# VICTOR MIDGET STRAPS

(GANG STRAP AND BACK PLATE 1/16" THICK X 3/8" WIDE)



| GANG STRAP      |                    |                 |                             |                   |                | BACK PLATE         |                   |                |
|-----------------|--------------------|-----------------|-----------------------------|-------------------|----------------|--------------------|-------------------|----------------|
| NUMBER OF LINES | VICTOR PART NUMBER | PRICE LIST PAGE | MOUNTING HOLE CTR. DISTANCE | PIECES PER CARTON | LBS PER CARTON | VICTOR PART NUMBER | PIECES PER CARTON | LBS PER CARTON |

## 1/8" TUBE DIA. WITH 13/64" DIA. MOUNTING HOLES

|   |         |   |         |      |    |         |      |    |
|---|---------|---|---------|------|----|---------|------|----|
| 1 | 10181-S | 1 | 3/4     | 1000 | 7  | 10191-S | 1000 | 7  |
| 2 | 10182-S | 1 | 3/4     | 1000 | 8  | 10192-S | 1000 | 8  |
| 3 | 10183-S | 1 | 1       | 1000 | 9  | 10193-S | 1000 | 9  |
| 4 | 10184-S | 1 | 1 3/16  | 1000 | 10 | 10194-S | 1000 | 10 |
| 5 | 10185-S | 1 | 1 9/32  | 1000 | 11 | 10195-S | 1000 | 11 |
| 6 | 10186-S | 1 | 1 13/32 | 1000 | 12 | 10196-S | 1000 | 12 |


# VICTOR LIGHT SERIES GANG STRAPS

GANG STRAP 1/32" THICK X 3/8" WIDE WITH 13/64" DIA. MOUNTING HOLES.  
 BACK PLATE 1/16" THICK X 1/2" WIDE WITH 7/32" DIA. MOUNTING HOLES.

| GANG STRAP      |                    |                 |                             |                |             | BACK PLATE         |                 |                |             |
|-----------------|--------------------|-----------------|-----------------------------|----------------|-------------|--------------------|-----------------|----------------|-------------|
| NUMBER OF LINES | VICTOR PART NUMBER | PRICE LIST PAGE | MOUNTING HOLE CTR. DISTANCE | PIECES PER BOX | LBS PER BOX | VICTOR PART NUMBER | PRICE LIST PAGE | PIECES PER BOX | LBS PER BOX |

## 3/16" TUBE DIA.

|   |         |   |        |     |     |         |   |     |     |
|---|---------|---|--------|-----|-----|---------|---|-----|-----|
| 1 | 10600-S | 1 | 13/16  | 100 | 0.5 | 11600-S | 2 | 100 | 1.4 |
| 2 | 10830-S | 2 | 1      | 100 | 0.6 | 11603-S | 3 | 100 | 1.4 |
| 3 | 10870-S | 2 | 1 3/16 | 100 | 0.6 | 11870-S | 3 | 100 | 1.5 |
| 4 | 10910-S | 2 | 1 3/8  | 100 | 0.9 | 11871-S | 3 | 100 | 1.6 |
| 5 | 10950-S | 2 | 1 9/16 | 100 | 0.9 | 11872-S | 3 | 100 | 1.6 |



## 1/4" TUBE DIA.

|   |         |   |       |     |     |         |   |     |     |
|---|---------|---|-------|-----|-----|---------|---|-----|-----|
| 1 | 10601-S | 1 | 7/8   | 100 | 0.5 | 11601-S | 3 | 100 | 1.3 |
| 2 | 10831-S | 2 | 1 1/8 | 100 | 0.6 | 11831-S | 3 | 100 | 1.2 |
| 3 | 10871-S | 2 | 1 3/8 | 100 | 0.8 | 11871-S | 3 | 100 | 1.6 |
| 4 | 10911-S | 2 | 1 5/8 | 100 | 0.9 | 11911-S | 3 | 100 | 1.9 |
| 5 | 10961-S | 2 | 1 7/8 | 100 | 1.0 | 11961-S | 3 | 100 | 2.0 |
| 6 | 10971-S | 2 | 2 1/8 | 100 | 1.0 | 11913-S | 3 | 100 | 2.3 |
| 7 | 10981-S | 2 | 2 3/8 | 100 | 1.2 | 11981-S | 3 | 100 | 2.6 |
| 8 | 10991-S | 2 | 2 5/8 | 100 | 1.2 | 11991-S | 3 | 100 | 2.8 |

## 5/16" TUBE DIA.

|   |         |   |        |     |     |         |   |     |     |
|---|---------|---|--------|-----|-----|---------|---|-----|-----|
| 1 | 10602-S | 1 | 15/16  | 100 | 0.6 | 11602-S | 3 | 100 | 1.4 |
| 2 | 10832-S | 2 | 1 1/4  | 100 | 0.8 | 11832-S | 3 | 100 | 1.4 |
| 3 | 10872-S | 2 | 1 9/16 | 100 | 0.9 | 11872-S | 3 | 100 | 1.6 |
| 4 | 10912-S | 2 | 1 7/8  | 100 | 1.0 | 11961-S | 3 | 100 | 2.0 |

## 3/8" TUBE DIA.

|   |         |   |       |     |     |         |   |     |     |
|---|---------|---|-------|-----|-----|---------|---|-----|-----|
| 1 | 10603-S | 1 | 1     | 100 | 0.6 | 11603-S | 3 | 100 | 1.4 |
| 2 | 10833-S | 2 | 1 3/8 | 100 | 0.9 | 11871-S | 3 | 100 | 1.6 |
| 3 | 10873-S | 2 | 1 3/4 | 100 | 1.0 | 11873-S | 3 | 100 | 1.9 |
| 4 | 10913-S | 2 | 2 1/8 | 100 | 1.1 | 11913-S | 3 | 100 | 2.3 |