

VICTOR "SNAP ON" ALUMINUM STRAPS

CONDUIT SIZE (RIGID)	VICTOR PART NUMBER	PRICE LIST PAGE	MOUNTING HOLE SIZE	MATERIAL THICKNESS	MATERIAL WIDTH	PIECES PER BOX	PIECES PER CARTON	LBS PER CARTON
----------------------	--------------------	-----------------	--------------------	--------------------	----------------	----------------	-------------------	----------------

FOR HEAVY WALL CONDUIT (RIGID)

1/2	14423-A	3	9/32	.062	5/8	100	1000	14
3/4	14424-A	3	9/32	.062	5/8	100	500	9
1	14425-A	3	9/32	.062	5/8	50	500	11
1 1/4	14426-A	3	9/32	.062	5/8	50	250	5
1 1/2	14427-A	3	9/32	.062	5/8	50	250	6
2	14428-A	3	9/32	.062	5/8	-	100	3
2 1/2	14429-A	3	11/32	.093	3/4	-	50	3
3	14430-A	3	11/32	.093	3/4	-	50	4
3 1/2	14431-A	3	11/32	.093	3/4	-	50	4
4	14432-A	3	11/32	.093	3/4	-	50	5



FOR THIN WALL CONDUIT "E.M.T." EMT CONDUIT

1/2	14463-A	3	9/32	.062	5/8	100	1000	10
3/4	14464-A	3	9/32	.062	5/8	100	500	7
1	14465-A	4	9/32	.062	5/8	100	500	8


FOR SERVICE ENTRANCE CABLES CABLE SIZE

6-3	14452-A	3	7/32	.062	5/8	100	1000	11
4-3	14454-A	3	7/32	.062	5/8	100	1000	12
2-3	14456-A	3	7/32	.062	5/8	100	1000	13

VICTOR COPPER STRAPS

FOR TYPE "L" TUBING

NOM. TUBE DIA.	ACTUAL O.D.	VICTOR PART NUMBER	PRICE LIST PAGE	MOUNTING HOLE SIZE	MATERIAL THICKNESS	MATERIAL WIDTH	PIECES PER BOX	PIECES PER CARTON	LBS PER CARTON
3/8	1/2	13605-CO	3	13/64	.032	1/2	100	1000	12
1/2	5/8	13608-CO	3	7/32	.032	5/8	50	500	10
5/8	3/4	13612-CO	3	7/32	.032	5/8	50	500	11
3/4	7/8	13614-CO	3	7/32	.032	5/8	50	500	12
1	1 1/8	13616-CO	3	7/32	.032	3/4	50	500	17



VICTOR BRASS STRAPS

CABLE DIAMETER O.D.	VICTOR PART NUMBER	PRICE LIST PAGE	MOUNTING HOLE SIZE	MATERIAL THICKNESS	MATERIAL WIDTH	PIECES PER BOX	PIECES PER CARTON	LBS PER CARTON
1/8	11445-B	2	5/32	.032	3/8	100	1000	4
3/16	11450-B	2	5/32	.032	3/8	100	1000	4
1/4	11451-B	2	5/32	.032	3/8	100	1000	5
5/16	11452-B	2	5/32	.032	3/8	100	1000	5
3/8	11453-B	2	5/32	.032	3/8	100	1000	6
7/16	11454-B	2	5/32	.032	3/8	100	1000	7
1/2	11455-B	2	13/64	.032	3/8	100	1000	12
5/8	11458-B	2	13/64	.032	5/8	50	500	10
3/4	11462-B	2	13/64	.032	5/8	50	500	11

